

Commerce General Architecture - POS Terminal :



Commerce In-Home Environment




Fig 3

In-Store Retail Environment




Fig 4




Diagram 5a: A retail system modified to support the interaction of legacy POS terminals with the Digital Wallet system





Diagram 5b: An alternative embodiment of the retail system modified to support the interaction of legacy POS terminals with the Digital Wallet system




Transaction Privacy Clearing House: Major Components

Fig. 6

DocId:35222260

2008-05-22-00



000001 052220





Fig. 7c

3

Digital Wallet and Privacy Card

Digital Wallet





```

sequenceDiagram
    participant User
    participant DW as Digital Wallet
    participant Laptop as Laptop PC
    participant TPCH

    User->>Laptop: 110 1) submit electronic registration, provide fingerprint
    Laptop->>TPCH: 110 2) encrypt & deliver fingerprint sample + registration
    TPCH->>DW: 110 3) initialize DW device, deliver to user
    User->>DW: 110 4) activate & verify delivery, user
    DW->>TPCH: 110 5) confirm successful delivery, user
    TPCH->>DW: 110 6) enabled for use
    DW->>User: 110 7) display ready message
    
```

Digital Wallet Setup
(Alternate Embedment)

Abstract



POS Terminal

Fig. 13.




Diagram of the major components of the PersonalPOS,
showing the data/address bus interconnect.

Fig 14

START




Fig. 15

000001-0526260




Fig 176

Retail Transaction

```

sequenceDiagram
    participant User
    participant DW as Digital Wallet
    participant Browser
    participant PPOS as PPOS Terminal
    participant TPCH as TPCH
    participant Vendor

    User->>Browser: 1) trigger purchase
    Browser->>PPOS: 2) request purchase, provide purchase record
    PPOS->>DW: 3) validate user, get account info
    DW->>User: 4) request fingerprint, account selection
    User->>DW: 5) provide fingerprint, account selection
    DW->>PPOS: 6) user validated, account data
    PPOS->>TPCH: 7) transaction request: purchase record, DW ID, account info
    TPCH->>PPOS: 8) transaction confirmation
    PPOS->>User: 9 - 11) transaction confirmation
    TPCH->>Vendor: 12) ship physical content
    User->>TPCH: 13) secure content distribution
    User->>TPCH: 14) confirmation of receipt
    TPCH->>Vendor: 15) settle funds
    
```

Web Transaction

000027 0522260




Fig. 18

Delivery of Product

```
sequenceDiagram
    participant User
    participant DigitalWallet as Digital Wallet
    participant TPC
    participant Vendor
    participant Distributor
    participant Package

    User->>Package: 1901) repackage material
    User->>DigitalWallet: 1902) activate, select Return Package
    DigitalWallet->>Package: 1903) apply coded label with package_ID, vendor_address
    DigitalWallet->>Vendor: 1904) contact vendor, distributor for return
    DigitalWallet->>Distributor: 
    Distributor->>Package: 1905) pick up, decode label for package_ID, vendor_address
    Distributor->>Vendor: 1906) deliver to vendor
```

Return c f Product

```

sequenceDiagram
    participant User
    participant Digital Wallet
    participant DTV
    participant TPCH
    participant Vendor
    participant POS Terminal

    User->>Digital Wallet: 2001) activate, select Purchase
    Digital Wallet->>POS Terminal: 2002) request product info
    POS Terminal->>Digital Wallet: 2003) return product information
    Digital Wallet->>TPCH: 2004) issue transaction request, provide data & DW ID
    TPCH->>Vendor: 2005) transaction data & DW ID
    Vendor->>TPCH: 2006) data mining, direct marketing
    TPCH->>Digital Wallet: 2007) full message or content reference
    Digital Wallet->>User: 2008) notify user
    User->>Digital Wallet: 2009) view content, respond as needed
    Digital Wallet->>Vendor: 
    
```

Data Mining

FIG. 21




FIG. 22A




FIG. 22B

